

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1-26. (Canceled)

27. (Original) A display device comprising:

first, second and third transistors, each having a gate electrode, a first electrode and a second electrode, and the second electrode of the first transistor electrically connected to the gate electrode of the second transistor;

a first signal input portion electrically connected to the gate electrodes of first and second transistors;

a second signal input portion electrically connected to the first electrode of the first transistor;

a third signal input portion electrically connected to the first electrode of the second transistor;

a power supply electrically connected to the first electrode of the third transistor; and

a signal output portion electrically connected to the second electrodes of the second and third transistors,

wherein the first, second and third transistors are the same conductivity type, and

wherein capacitor means is disposed between the gate electrode and the first electrode of said second transistor or between the gate electrode and the second electrode of said second transistor.

28. (Original) A display device comprising:

first, second and third transistors, each having a gate electrode, a first electrode and a second electrode, and the second electrode of the first transistor electrically connected to the gate electrode of the second transistor;

a first signal input portion electrically connected to the gate electrodes of first and second transistors;

an input change circuit electrically connected to the first electrode of the first transistor;

second and third signal input portions electrically connected to the input change circuit;

a fourth signal input portion electrically connected to the first electrode of the second transistor;

a power supply electrically connected to the first electrode of the third transistor; and

a signal output portion electrically connected to the second electrodes of the second and third transistors,

wherein the first, second and third transistors are the same conductivity type, and

wherein capacitor means is disposed between the gate electrode and the first electrode of said second transistor or between the gate electrode and the second electrode of said second transistor.

29. (Original) A display device comprising:

first, second and third transistors, each having a gate electrode, a first electrode and a second electrode, and the second electrode of the first transistor electrically connected to the gate electrode of the second transistor;

a first signal input portion electrically connected to the gate electrodes of first and second transistors;

an input change circuit electrically connected to the first electrode of the first transistor;

second and third signal input portions electrically connected to the input change circuit;

a fourth signal input portion electrically connected to the first electrode of the second transistor;

a power supply electrically connected to the first electrode of the third transistor; and

a signal output portion electrically connected to the second electrodes of the second and third transistors,

wherein the first, second and third transistors are the same conductivity type,

wherein the input change circuit is in a first state, conduction is provided between the first electrode of the first transistor and the second signal input section and no conduction is provided between the first electrode of the first transistor and the third signal input section, and

wherein the input change circuit is in a second state, conduction is provided between the first electrode of the first transistor and the third signal input section and no conduction is provided between the first electrode of the first transistor and the second signal input section, and

wherein capacitor means is disposed between the gate electrode and the first electrode of said second transistor or between the gate electrode and the second electrode of said second transistor.

30-32. (Canceled)

33. (Original) A display device according to claim 27, wherein the conductivity type is an n-channel type.

34. (Original) A display device according to claim 28, wherein the conductivity type is an n-channel type.

35. (Original) A display device according to claim 29, wherein the conductivity type is an n-channel type.

36-38. (Canceled)

39. (Original) A display device according to claim 27, wherein the conductivity type is a p-channel type.

40. (Original) A display device according to claim 28, wherein the conductivity type is a p-channel type.

41. (Original) A display device according to claim 29, wherein the conductivity type is a p-channel type.

42-44. (Canceled)

45. (Original) A display device according to claim 27, wherein the capacitor means is formed between the gate electrode of the second transistor and an active layer of the second transistor.

46. (Original) A display device according to claim 28, wherein the capacitor means is formed between the gate electrode of the second transistor and an active layer of the second transistor.

47. (Original) A display device according to claim 29, wherein the capacitor means is formed between the gate electrode of the second transistor and an active layer of the second transistor.

48-50. (Canceled)

51. (Original) A display device according to claim 27, wherein the capacitor means is formed between any two of an active layer material, a material forming the gate electrode, and a wiring material.

52. (Original) A display device according to claim 28, wherein the capacitor means is formed between any two of an active layer material, a material forming the gate electrode, and a wiring material.

53. (Original) A display device according to claim 29, wherein the capacitor means is formed between any two of an active layer material, a material forming the gate electrode, and a wiring material.

54. (Original) A display device according to claim 27, wherein the display device is applied in an electronic device selected from the group consisting of a liquid crystal display device, a video camera, a notebook-type personal computer, a portable information terminal, an audio reproduction device, a digital camera and a portable telephone.

55. (Original) A display device according to claim 28, wherein the display device is applied in an electronic device selected from the group consisting of a liquid crystal display device, a video camera, a notebook-type personal computer, a portable information terminal, an audio reproduction device, a digital camera and a portable telephone.

56. (Original) A display device according to claim 29, wherein the display device is applied in an electronic device selected from the group consisting of a liquid crystal display device, a video camera, a notebook-type personal computer, a portable information terminal, an audio reproduction device, a digital camera and a portable telephone.